- Smart home automation

Product Catalogue.

The complete 2026 range — smart switches, touch panels, retrofit modules, sensors, gateways, and lighting controls. One app, professionally installed.

EDITION	PRODUCTS	VALIDITY
2026 Range	**46 products**	Prices valid April 2026. Inclusive of GST.

smartify.in

hello@smartify.in

- One app controls every device in your home
- Professional installation with zero rewiring
- 5-year warranty · pan-India support
- Works with Alexa, Google & Apple Home

VOL. 01

Your home. Fully smart. Built for India.

CONTENTS

Find what you need.

A quick tour of the Smartify range — switches, panels, sensors, gateways, and lighting. Each product page lists its price, inclusive of GST.

01 About Smartify 3

02 Compatibility 4

03 Interface (TAC) 5
11 products

04 Interface (TOQ) 17
8 products

05 Interface (Touchscreen) 26
3 products

06 Layer 30
7 products

07 Aware 38
5 products

08 Core 44
5 products

09 Lume 50
3 products

10 Reach 54
3 products

11 Warranty & Support 58

12 Price List 59

13 Contact 60

We make your home smart.
You just enjoy it.

Smartify is a smart home brand designed and supported in India. Every product in this catalogue is built around a Zigbee-first, local-control design that works natively with Apple Home, Alexa, Google, and Matter — so your home stays fast, private, and never locked into one ecosystem.

46

Products

Layer · TOQ · TAC · Aware · Core · Reach · Lume · Interface

5-Yrs

Product Warranty

Every product is covered for 5 years, with pan-India support and a replacement-first policy.

500+

Homes Automated

Across 349+ Indian cities, with a 4.9 Google rating and 10+ years of experience.

OPEN STANDARDS

Zigbee 3.0, Matter — works with HA, Alexa, Google, HomeKit.

LOCAL-FIRST

Convergia and compatible gateways run offline-first.

INDIAN FORM FACTORS

Modular (2M to 12M), DIN rail, and 86 box. Designed for Indian wiring practice.

CERTIFIED

CE, FCC, RoHS, and BIS where applicable — tested and safe for Indian homes.

Works with everyone you already trust.

Native, hub-based, and bridged compatibility across every major smart-home ecosystem. Direct Zigbee 3.0 means devices work locally even if cloud services go down — and 'via hub' means functional with any standards-compliant Matter or HomeKit bridge.

	HA	MATTER	HOMEKIT	ALEXA	GOOGLE	KNX	CONVERGIA
TAC Zigbee 3.0	●	via Core Matter	via Core Matter	via any Core	via any Core	Convergia	●
TOQ Zigbee 3.0	●	via Core Matter	via Core Matter	via any Core	via any Core	Convergia	●
Interface Wi-Fi + Zigbee	●	via Core Matter	via Core Matter	via any Core	via any Core	Convergia	●
Layer Zigbee 3.0	●	via Core Matter	via Core Matter	via any Core	via any Core	Convergia	●
Aware Zigbee 3.0	●	via Core Matter	via Core Matter	via any Core	via any Core	Convergia	●
Convergia Multi-protocol	●	●	●	●	●	●	—
Core Zigbee 3.0 + Thread	●	●	●	●	●	Convergia	●
VRV / DALI gateways Zigbee + RS-485	●	via Core Matter	via Core Matter	via any Core	via any Core	Convergia	●
Lume Zigbee 3.0	●	via Core Matter	via Core Matter	via any Core	via any Core	Convergia	●

● Native, direct local control **via Core Matter** Bridged through Matter **via any Core** Bridged through Core LAN or Matter **Convergia** Bridged via Convergia local server — Not supported


TAC

A tactile smart switch with a finish worthy of the spaces it goes into. For homes that don't compromise on design.

TAC 1 | TAC 2 | TAC 3 | TAC 4 | TAC 6 | TAC HL | TAC 6+ | TAC SS | TAC S | TAC F



01 INTERFACE (TAC)



ZIGBEE SMART SWITCH

TAC 1

One click. The right response.

The TAC 1 is a single button with complete intention — load control or scene trigger, available in glass or PP, in the finish that suits your space.

Wiring	Live + Neutral	Channels	1
Max Switching	10A relay	Voltage	110–240V AC 50/60Hz
Wireless Protocol	Zigbee 3.0	Wireless Range	≤200m
Operating Temp	-10°C to +60°C	Front	Anti-fingerprint glass
Body	ABS + PC	Dimensions	86 × 86 × 10.5 mm
Installation	86 mounting box (depth >50mm)	Finishes	White / Grey / Gold

PRICE (INCL. GST)

₹21,900

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Single-button Zigbee smart switch
- Load control or scene trigger
- 10A relay, up to 4A direct load
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



ZIGBEE SMART SWITCH

TAC 2

Two circuits. One switch.

The TAC 2 gives you two independent load channels on a single face — light + fan, two rooms, or two scenes. One elegant switch.

Wiring	Live + Neutral	Channels	2
Max Switching	10A relay per channel	Voltage	110–240V AC 50/60Hz
Wireless Protocol	Zigbee 3.0	Wireless Range	≤200m
Operating Temp	-10°C to +60°C	Front	Anti-fingerprint glass
Body	ABS + PC	Dimensions	86 × 86 × 10.5 mm
Installation	86 mounting box (depth >50mm)	Finishes	White / Grey / Gold


PRICE (INCL. GST)

₹21,900

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 2-button Zigbee smart switch
- Independent load or scene per button
- 10A total shared relay
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



ZIGBEE SMART SWITCH

TAC 3

Three loads. One clean face.

The TAC 3 covers three circuits on one switch — the ideal bedroom master switch, hall panel, or living room control point.

Wiring	Live + Neutral	Channels	3
Max Switching	10A relay per channel	Voltage	110–240V AC 50/60Hz
Wireless Protocol	Zigbee 3.0	Wireless Range	≤200m
Operating Temp	-10°C to +60°C	Front	Anti-fingerprint glass
Body	ABS + PC	Dimensions	86 × 86 × 10.5 mm
Installation	86 mounting box (depth >50mm)	Finishes	White / Grey / Gold

PRICE (INCL. GST)

₹24,300

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 3-button Zigbee smart switch
- Independent load or scene per button
- 10A total shared relay
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



ZIGBEE SMART SWITCH

TAC 4

Four circuits. Seamless control.

The TAC 4 gives you four independent control points on a single switch face — for rooms where every circuit matters and every detail is considered.

Wiring	Live + Neutral	Channels	4
Max Switching	10A relay per channel	Voltage	110–240V AC 50/60Hz
Wireless Protocol	Zigbee 3.0	Wireless Range	≤200m
Operating Temp	-10°C to +60°C	Front	Anti-fingerprint glass
Body	ABS + PC	Dimensions	86 × 86 × 10.5 mm
Installation	86 mounting box (depth >50mm)	Finishes	White / Grey / Gold

PRICE (INCL. GST)

₹24,300

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 4-button Zigbee smart switch
- Independent load or scene per button
- 10A total shared relay
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



ZIGBEE SCENE CONTROL SWITCH

TAC 6

Six scenes. One wall.

The TAC 6 is a scene controller — not a switch. Press once and an entire room responds. Morning scene, evening scene, cinema. Welcome. Six possibilities on a single, elegant surface.

Wiring	Live + Neutral	Buttons	6 scene
Voltage	110–240V AC 50/60Hz	Power Consumption	< 0.6W
Wireless Protocol	Zigbee 3.0	Wireless Range	≤200m
Operating Temp	-10°C to +60°C	Front	Anti-fingerprint glass
Body	ABS + PC	Dimensions	86 × 86 × 10.5 mm
Installation	86 mounting box (depth >50mm)	Compatibility	Zigbee automation platforms
Finishes	White / Grey / Gold		

PRICE (INCL. GST)

₹26,400

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 6-button scene controller
- No relay, automation triggers only
- Mains powered, wall mounted
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



ZIGBEE SMART SWITCH (HEAVY LOAD)

TAC HL

Your geyser. On your schedule.

The TAC HL puts your heavy appliances — water heater, pump, high-power loads — on a smart switch face. Set schedules, automate by presence, or control remotely. Same simplicity, for serious loads.

Wiring	Live + Neutral	Channels	1 high-load
Max Switching	20A relay	Recommended Load	Up to 3500W resistive
Voltage	110–240V AC 50/60Hz	Wireless Protocol	Zigbee 3.0
Wireless Range	≤200m	Operating Temp	-10°C to +60°C
Front	Anti-fingerprint glass	Body	ABS + PC
Dimensions	86 × 86 × 10.5 mm	Installation	86 mounting box (depth >50mm)
Note	Use rated cable; consult installer guide	Finishes	White / Grey / Gold


PRICE (INCL. GST)

₹22,500

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Heavy-load Zigbee switch
- Rated up to 20A direct switching
- Geysers, pumps, water heaters
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



ZIGBEE SHUTTER / CURTAIN CONTROL SWITCH

TAC SH

Open. Close. Stop. That's all you need.

The TAC SH gives your motorized blinds and curtains a dedicated, physical control — three buttons, completely intuitive. Available in the finish that suits your space.

Wiring	Live + Neutral + 2 motor	Output	Mechanical interlock
Max Switching	AC curtain/blind, up to 150W	Voltage	110–240V AC 50/60Hz
Wireless Protocol	Zigbee 3.0	Wireless Range	≤200m
Operating Temp	-10°C to +60°C	Front	Anti-fingerprint glass
Body	ABS + PC	Dimensions	86 × 86 × 10.5 mm
Installation	86 mounting box (depth >50mm)	Compatibility	Zigbee automation platforms
Finishes	White / Grey / Gold		

PRICE (INCL. GST)

₹22,200

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 3-button shutter and curtain switch
- Open, Close, Stop controls
- AC motor up to 150W
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



ZIGBEE SMART SWITCH WITH SCENE CONTROL

TAC 6+

Load control and scenes. One switch.

The TAC 6+ combines the practical with the experiential — four buttons that control circuits, two that set the scene. Everything your room needs, on a single surface.

Wiring	Live + Neutral	Channels	4 lighting + 2 scene
Max Switching	10A total (4 load buttons, shared)	Voltage	110–240V AC 50/60Hz
Wireless Protocol	Zigbee 3.0	Wireless Range	≤200m
Operating Temp	-10°C to +60°C	Front	Anti-fingerprint glass
Body	ABS + PC	Dimensions	86 × 86 × 10.5 mm
Installation	86 mounting box (depth >50mm)	Compatibility	Zigbee automation platforms
Finishes	White / Grey / Gold		

PRICE (INCL. GST)

₹26,700

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 4 load buttons plus 2 scene buttons
- Direct switching and scene triggers
- 10A shared relay across load buttons
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



ZIGBEE SCENE CONTROL SWITCH (BATTERY)

TAC SS

Any wall. Any location. No wiring.

The TAC SS goes anywhere — no electrician required. Stick it by the bed, at the entrance, on a kitchen island. Six scenes at your fingertips, wherever it makes sense.

Power	CR2450 × 1, replaceable	Battery Life	Up to 5 years typical
Installation	Wireless, wall or surface mount	Wireless Protocol	Zigbee 3.0
Wireless Range	≤30m indoor	Operating Temp	-10°C to +60°C
Front	Anti-fingerprint glass	Body	ABS + PC
Dimensions	86 × 86 × 12 mm	Mount	Magnetic + adhesive
Compatibility	Zigbee automation platforms	Finishes	White / Grey / Gold + accents

PRICE (INCL. GST)

₹25,500

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Battery-powered wireless scene switch
- 6 configurable scene buttons
- No wiring, place anywhere
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



MODULAR POWER SOCKET

TAC S

A socket that fits the system.

The TAC S is a power socket built for the TAC ecosystem — matching your switches in finish and material, and smart when it needs to be. Energy monitoring built in.

Wiring	Live + Neutral + Earth	Outlet	6A universal
Energy Monitoring	V / A / W / kWh	Voltage	110–240V AC 50/60Hz
Wireless Protocol	Zigbee 3.0	Wireless Range	≤200m
Operating Temp	-10°C to +60°C	Front	Anti-fingerprint glass
Body	ABS + PC	Dimensions	86 × 86 × 10.5 mm
Installation	86 mounting box (depth >50mm)	Compatibility	TAC smart switch system or retrofit relay module
Finishes	White / Grey / Gold		

PRICE (INCL. GST)

₹4,500

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Modular power socket for TAC system
- Matches TAC finish and material
- 6A rated outlet
- PP or anti-glare glass
- Black, White, or Gold finish

01 INTERFACE (TAC)



ZIGBEE FAN CONTROL SWITCH

TAC F

Your fan. Fully in control.

Speed, on, off — from the wall or from anywhere. The TAC F gives your ceiling fan the same smart controls as every other device in your home.

Wiring	Live + Neutral + Fan	Steps	5 + Off
Max Load	150W ceiling fan	Voltage	110–240V AC 50/60Hz
Wireless Protocol	Zigbee 3.0	Wireless Range	≤200m
Operating Temp	-10°C to +60°C	Front	Anti-fingerprint glass
Body	ABS + PC	Dimensions	86 × 86 × 10.5 mm
Installation	86 mounting box (depth >50mm)	Compatibility	Zigbee automation platforms
Finishes	White / Grey / Gold		

PRICE (INCL. GST)

₹7,500


Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Dedicated fan control switch
- On/off and speed control
- Ceiling fans up to 150W
- PP or anti-glare glass
- Black, White, or Gold finish

TOQ

One panel, complete room control. TOQ's glass-touch surface handles switching, dimming, and power — with configurations for every room size and layout.

TOQ 4T | TOQ 4T+1S | TOQ 8T | TOQ 10T | TOQ 4T+2F | TOQ 8T+1S | TOQ 4T+2F+1S | TOQ 10T+2S



02 TOQ



ZIGBEE TOUCH CONTROL PANEL

TOQ 4T

Four touches. Your whole room.

The TOQ 4T is a panel that disappears into your wall and lets your home respond at a touch. Four buttons. Any scene. Any load. Finished in glass, in the colour that suits your space.

Voltage	100–250V AC	Channels	4
Max Switching	10A per channel	Rec. Load	Up to 4A / channel
Wireless	Zigbee 3.0	Interface	Capacitive touch (glass)
GI Box	2M	Installation	Wall-mounted
Button Mode	Toggle / Momentary	Compatibility	Zigbee platforms


PRICE (INCL. GST)

₹32,000

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 4-button capacitive touch panel
- 10A relay per channel
- White or black glass finish
- Silver, gold, or black bezel
- 2M GI box

02 TOQ



ZIGBEE TOUCH CONTROL PANEL WITH INTEGRATED SOCKET

TOQ 4T+1S

Control your room. Charge your devices. One panel.

The TOQ 4T+1S combines smart control with everyday utility — four touch buttons for your home automation, a power socket , and USB charging, all in a single elegant wall panel.

Voltage	100–250V AC	Channels	4
Max Switching	10A per channel	Rec. Load	Up to 4A / channel
Wireless	Zigbee 3.0	Interface	Capacitive touch (glass)
Socket	6A integrated	USB	1× USB-C + 1× USB-A
GI Box	4M	Installation	Wall-mounted


PRICE (INCL. GST)

₹34,500

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 4-button touch panel with socket
- Integrated USB-C and USB-A charging
- 6A power socket built-in
- White or black glass finish
- 4M GI box

02 TOQ



ZIGBEE TOUCH CONTROL PANEL

TOQ 8T

Eight circuits. One surface.

A full room — or an entire floor — controlled from a single panel. The TOQ 8T gives you eight independent touch points, finished in glass, responding to the lightest touch.

Voltage	100–250V AC	Channels	8
Max Switching	10A per channel	Rec. Load	Up to 4A / channel
Wireless	Zigbee 3.0	Interface	Capacitive touch (glass)
GI Box	4M	Installation	Wall-mounted
Button Mode	Toggle / Momentary	Compatibility	Zigbee platforms


PRICE (INCL. GST)

₹38,000

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 8-button capacitive touch panel
- 10A relay per channel
- White or black glass finish
- Silver, gold, or black bezel
- 4M GI box

02 TOQ



ZIGBEE TOUCH CONTROL PANEL

TOQ 10T

Ten touches. Every light, every scene.

The TOQ 10T is for rooms and homes that demand complete control from a single point. Ten independent buttons. Finished i n glass. Nothing out of reach.

Voltage	100–250V AC	Channels	10
Max Switching	10A per channel	Rec. Load	Up to 4A / channel
Wireless	Zigbee 3.0	Interface	Capacitive touch (glass)
GI Box	6/8M	Installation	Wall-mounted
Button Mode	Toggle / Momentary	Compatibility	Zigbee platforms


PRICE (INCL. GST)

₹42,000

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 10-button capacitive touch panel
- Full room or floor control
- 10A relay per channel
- White or black glass finish
- 6/8M GI box

02 TOQ



ZIGBEE TOUCH CONTROL PANEL WITH FAN CONTROL

TOQ 4T+2F

Four circuits, two fans. One surface.

Perfect for bedrooms, living spaces, or any room that needs both lighting control and ceiling fan management. The TOQ 4T +2F covers it all from a single glass panel.

Voltage	100–250V AC	Channels	4 + 2 fan
Max Switching	10A per channel	Rec. Load	Up to 4A / channel
Wireless	Zigbee 3.0	Interface	Capacitive touch (glass)
Fan Channel	Up to 120W each	GI Box	4M
Installation	Wall-mounted	Compatibility	Zigbee platforms


PRICE (INCL. GST)

₹39,000

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 4-button panel with dual fan control
- Two fan channels up to 120W each
- 10A relay per button channel
- White or black glass finish
- 4M GI box

02 TOQ



ZIGBEE TOUCH CONTROL PANEL WITH INTEGRATED SOCKET

TOQ 8T+1S

Eight circuits, a power outlet. Nothing missing.

The TOQ 8T+1S gives you full room control plus a socket for everyday use — all in a single, clean glass panel.

Voltage	100–250V AC	Channels	8
Max Switching	10A per channel	Rec. Load	Up to 4A / channel
Wireless	Zigbee 3.0	Interface	Capacitive touch (glass)
Socket	6A integrated	GI Box	6/8M
Installation	Wall-mounted	Compatibility	Zigbee platforms


PRICE (INCL. GST)

₹41,500

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 8-button panel with power socket
- Integrated 6A utility outlet
- 10A relay per button channel
- White or black glass finish
- 6/8M GI box

02 TOQ



ZIGBEE TOUCH CONTROL PANEL WITH FAN AND SOCKET

TOQ 4T+2F+1S

Everything a room needs. One panel.

Lighting control, two ceiling fans, and a power socket — all from a single wall panel. The TOQ 4T+2F+1S is built for the rooms where you need it all.

Voltage	100–250V AC	Channels	4 + 2 fan
Max Switching	10A per channel	Rec. Load	Up to 4A / channel
Wireless	Zigbee 3.0	Interface	Capacitive touch (glass)
Socket	6A integrated	Fan Channel	Up to 120W each
GI Box	6/8M	Installation	Wall-mounted


PRICE (INCL. GST)

₹43,500

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 4-button panel, two fans, one socket
- Dual fan channels up to 120W each
- Integrated 6A utility socket
- White or black glass finish
- 6/8M GI box

02 TOQ



10-TOUCH + 2 SLIDERS · ZIGBEE 3.0

TOQ 10T+3S

The flagship TOQ panel.

The TOQ 10T+3S is the flagship — ten buttons and three sockets for the most demanding environments.

Voltage	100–250V AC	Channels	10
Max Switching	10A per channel	Rec. Load	Up to 4A / channel
Wireless	Zigbee 3.0	Interface	Capacitive touch (glass)
Socket	6A integrated	GI Box	12M
Installation	Wall-mounted	Compatibility	Zigbee platforms

PRICE (INCL. GST)

₹49,500

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 10 touch + 3 sockets
- Three Sockets
- Digital label per button
- Anti-fingerprint glass
- Zigbee 3.0 native

Interface

Touchscreen displays and dedicated scene controllers for full room control. Interface brings together visual dashboards and physical scene buttons in one cohesive lineup.

Interface 4 | Interface 10 | Interface Scene



INTERFACE



SMART HOME TOUCH PANEL · WI-FI + ZIGBEE

Interface 4

Every device, one screen on your wall.

Touch a scene. Ask Alexa. Check a device. The 4" touchscreen brings your entire home into one place — simple, immediate, and always responsive.

Display	4-inch touchscreen	Protocol	Wi-Fi + Zigbee
Voltage	100–240V AC	Voice	Built-in Alexa
Dimensions	86×86×10.5mm	OS	Embedded Linux
Install	2M GI Box	Rated Current	74 mA

PRICE (INCL. GST)

₹42,600

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 4-inch wall touch panel
- Built-in Zigbee gateway
- Alexa voice control built-in
- Scene, device, and automation control
- Wi-Fi connected

INTERFACE



SMART HOME TOUCH PANEL · WI-FI + ZIGBEE + BLUETOOTH

Interface 10

Your home has a face.

The 10" touchscreen is the centrepiece of a smart home — a full control surface that manages every light and scene, while serving as your front door intercom. Proximity-aware. Always ready.

Display	1920×1200 FHD, 10.1"	Protocol	Wi-Fi + Zigbee + BT
Voltage	100–240V AC, 50/60Hz	Camera	HD ~5MP intercom
Capacity	128+ per protocol	Features	Doorbell, proximity
Size	259×161×13mm	Install	Wall / USB-C


PRICE (INCL. GST)

₹1,65,000

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 10-inch HD touchscreen panel
- Zigbee + Bluetooth dual gateway
- Built-in HD camera, doorbell intercom
- Proximity wake sensor
- 128+ devices per protocol

INTERFACE



ZIGBEE SCENE CONTROL SWITCH · BATTERY

Interface Scene

Four buttons. Twelve possibilities. Zero wiring.

Place it anywhere. Stick it to a wall, put it on a nightstand, keep it in a pocket. Four buttons give you up to 12 scenes — no installation, no electrician, no limits on where it goes.

Buttons	4 mechanical	Protocol	Zigbee 3.0
Actions	Single / double / long	Scenes	Up to 12 total
Power	CR2430 (~2 yrs)	Standby	10 µA
Dimensions	86×86×13mm	Install	Wireless / adhesive

PRICE (INCL. GST)

₹10,497


Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 4-button battery scene switch
- Single, double, long press per button
- Up to 12 scenes total
- CR2430 battery, approx 2-year life
- Adhesive mount or portable


Layer

Relay, dimmer, and shutter modules that fit inside your existing switchbox. Your original switches stay exactly as they are — automation runs silently behind them.

Layer Relay 1 · Layer Relay 2 · Layer Relay 1 HL · Layer Dimmer 1 · Layer Dimmer 2 · Layer Shutter · Layer Dimmer Analog



03 LAYER



SWITCHING RELAY

Layer Relay 1

Your switch. Smarter.

The Retrofit Relay fits quietly behind your existing wall switch and gives it a new intelligence — responding to your sc hedule, your voice, or your app. Nothing on your wall changes. Everything about how it works does.

For loads above 4A use external relay / SSR / contactor

Voltage	90–250V AC	Max Current	10A
Wireless Protocol	Zigbee 3.0	Operating Temperature	-10°C to +40°C
Max Case Temperature (Tc)	+80°C	Wireless Range	≤200m (open field)
Dimensions	52 × 47 × 18 mm	IP Rating	IP20
Installation Type	Behind Switch / DIN Rail		


PRICE (INCL. GST)

₹4,500

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 1-channel switching relay
- Fits behind existing wall switch
- Direct load up to 4A
- Zigbee 3.0 native
- Flush box or DIN rail install

03 LAYER



SWITCHING RELAY

Layer Relay 2

Two switches. One module. Zero effort.

Control two circuits from a single module hidden behind your existing switches. Lights in two rooms, a fan and a light — whatever the combination, each channel responds independently. Your walls stay the same. Your home gets smarter.

For loads above 4A per channel use external relay / SSR / contactor. Not a dimmer. Not dry contact.

Voltage	90–250V AC, 50/60Hz	Current	Total 10A
Wireless Protocol	Zigbee 3.0	Operating Temperature	-10°C to +65°C
Case Temperature (Tc)	+80°C Max	Operating Range	≤70m
Dimensions	40 × 40 × 18 mm	IP Rating	IP20
Frequency Band	2.405–2.480 GHz	Max Radio Transmit Power	<+10 dBm


PRICE (INCL. GST)

₹4,500

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 2-channel independent switching
- One module, two circuits
- Direct load up to 4A per channel
- Zigbee 3.0 native
- Flush box or DIN rail install

03 LAYER



HEAVY-DUTY SWITCHING RELAY

Layer Relay 1 HL

Heavy loads. Light control.

The 40A Relay brings your high-power appliances — water heaters, pumps, heavy equipment — into your smart home without c ompromise. Schedule them, automate them, monitor them. The same effortless control, built for serious loads.

Proper cable sizing and protection devices mandatory. Qualified installation required.

PRICE (INCL. GST)

₹6,600

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 1-channel heavy-duty relay
- Rated for loads up to 40A
- Geysers, pumps, heavy appliances
- Fits behind existing wall switch
- Flush box or DIN rail install

03 LAYER



PHASE-CUT DIMMER

Layer Dimmer 1

The right light. Always.

Bright for the morning. Warm for the evening. The Dimmer learns when you want a room to feel different — and adjusts wit hout you asking. Fits behind your existing switch. Works with your existing lights.

Voltage	90–250V AC	Max Power	100W × 2CH (220V)
Wireless Protocol	Zigbee 3.0	Operating Temperature	0°C to +40°C
Case Temperature (Tc)	+80°C Max	Dimensions	40 × 40 × 18 mm
IP Rating	IP20	Frequency Band	2.405–2.480 GHz
Max Radio Transmit Power	<+10 dBm	Installation Type	Behind Switch / DIN Rail

PRICE (INCL. GST)

₹3,900

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 1-channel phase-cut dimmer
- Fits behind existing wall switch
- Up to 200W dimmable load
- Trailing and leading edge support
- Flush box or DIN rail install

03 LAYER



PHASE-CUT DIMMER

Layer Dimmer 2

Two circuits. One mood.

Set the scene across two lighting circuits from a single module. The 2-Channel Dimmer sits invisibly behind your existin g switches, independently managing the brightness of each circuit — responding to schedules, scenes, or a quiet tap.

Voltage	90–250V AC	Max Power	75W (110V) / 150W (220V)
Wireless Protocol	Zigbee 3.0	Operating Temperature	0°C to +40°C
Case Temperature (Tc)	+80°C Max	Dimensions	40 × 40 × 18 mm
IP Rating	IP20	Frequency Band	2.405–2.480 GHz
Max Radio Transmit Power	<+10 dBm	Installation Type	Behind Switch / DIN Rail


PRICE (INCL. GST)

₹4,200

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 2-channel independent dimmer
- Up to 100W per channel
- Fits behind existing wall switch
- Phase-cut trailing/leading edge
- Flush box or DIN rail install

03 LAYER



SHUTTER / CURTAIN MOTOR CONTROLLER

Layer Shutter

Your blinds open with the morning. They close before the afternoon heat sets in. You didn't touch them.

The Shutter Controller brings your motorized curtains, roller blinds, and shutters into your smart home — responding to schedules, conditions, or a single tap. One device, quietly managing the light and privacy of your space. Fits behind yo

Voltage	90–250V AC, 50/60Hz	Current	2A
Max Power	500W (250V)	Wireless Protocol	Zigbee 3.0
Operating Temperature	-10°C to +40°C	Case Temperature (Tc)	+80°C Max
Operating Range	≤200m	Dimensions	52 × 47 × 18 mm
IP Rating	IP20	Installation Type	Behind Switch / DIN Rail


PRICE (INCL. GST)

₹4,200

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Motorized curtain and blind control
- Interlocked Up/Down/Stop outputs
- Fits behind existing wall switch
- AC motor loads up to 2A
- Flush box or DIN rail install

03 LAYER



0-10V ANALOG DIMMER CONTROLLER

Layer Dimmer Analog

Professional lighting. Smart control.

The 0-10V Dimmer bridges commercial-grade LED lighting systems with your smart home — giving you smooth, precise brightn ess control through the same interface as every other device. Simple to automate. Invisible once installed.

Input Voltage	AC100–240V 50Hz/60Hz	Output Voltage	0–10V DC Max. 20mA
Dimming Type	0–10V	Operation Frequency	2.412GHz–2.484GHz
Operation Temperature	-10°C to +40°C	Protocol	Zigbee 3.0
Dimensions (W × D × H)	39 × 39 × 18 mm	IP Rating	IP20

PRICE (INCL. GST)

₹5,700

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 0-10V analog dimmer output
- For commercial LED driver systems
- Smooth, precise brightness control
- Zigbee 3.0 native
- DIN rail or panel install

Aware

Battery-powered sensors that feed real-world state into your automation system. Easy to add at any stage, compatible with any Zigbee 3.0 coordinator.

Aware Contact | Aware Motion | Aware Vibration | Aware Wave | Aware Wave Pro



04 AWARE



DOOR/WINDOW CONTACT SENSOR

Aware Contact

Open. Closed. Your home knows.

When a door opens, the lights turn on. When a window is left open, you get a notification. The Contact Sensor is small, invisible, and always paying attention — so you don't have to.

PRICE (INCL. GST)

₹3,900

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Door and window contact sensor
- Magnetic open/close detection
- CR2032 battery, replaceable
- Adhesive or screw mount
- Zigbee 3.0 native

04 AWARE



MOTION + AMBIENT LIGHT (LUX) SENSOR

Aware Motion

The lights come on when you enter. Not when the sun is still up.

The Motion + LUX Sensor reads both movement and light — so automations happen only when they should. It's the difference between a smart home that reacts and one that actually understands.

PRICE (INCL. GST)

₹5,700

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- PIR motion and LUX sensor combined
- Light-conditional automation triggers
- 8m range, 120-degree angle
- CR2450 battery, replaceable
- Wall or ceiling mount

04 AWARE



VIBRATION DETECTION SENSOR

Aware Vibration

If something moves, you'll know.

A knock on the safe. A window forced open. A cabinet disturbed. The Vibration Sensor catches what cameras miss — and tel
ls you instantly, before anything else happens.

PRICE (INCL. GST)

₹5,100

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Vibration and tamper detection
- Alerts for safes, windows, cabinets
- 10-30m indoor Zigbee range
- AAA battery powered
- Adhesive or screw mount

04 AWARE



MMWAVE MOTION / PRESENCE SENSOR

Aware Wave

It knows you're there. Even when you're still.

Traditional motion sensors miss you the moment you stop moving. The mmWave Sensor doesn't. It detects presence — not jus
t movement — so your lights stay on, your climate stays comfortable, and your home keeps responding.


PRICE (INCL. GST)

₹9,297

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- USB-powered mmWave presence sensor
- Detects presence, not just motion
- 24GHz radar, 0-10000 LUX sensing
- Flexible placement, no wiring
- Zigbee 3.0 native

04 AWARE



MMWAVE MOTION / PRESENCE SENSOR

Aware Wave Pro

A room that knows when it's occupied.

The Ceiling mmWave Sensor watches the whole room — not a narrow cone. It detects presence, not just motion, so every aut omation responds to whether someone is actually there. Not whether they waved.

PRICE (INCL. GST)

₹13,050

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Ceiling-mounted mmWave presence sensor
- Full-room occupancy detection
- Mains powered, always on
- 9m detection range, adjustable delay
- Zigbee 3.0 native

Core

Core is the system's foundation. Every Zigbee device on site connects through it. Choose based on project scale — from a single coordinator to multi-protocol Convergia.

Core LAN | Core Matter | Convergia | Core VRV | Core DALI



05 CORE



ZIGBEE COORDINATOR / GATEWAY

Core LAN

The hub your home thinks through.

Everything connects to this. The Zigbee Gateway sits quietly on your network — wired for stability — and gives your enti re smart home a reliable brain. Pair it once. Trust it always.

Wireless Connection	Zigbee	Max Connected Devices	300 (wired)
Working Temperature	-10°C to +55°C	Power Input	USB-C 5V 2A
Connectivity	RJ45 Ethernet	Working Humidity	10%–90% RH (non-condensing)

PRICE (INCL. GST)

₹8,100

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Wired Zigbee coordinator
- Stable Ethernet backbone
- Up to 128 Zigbee devices
- USB-C powered, RJ45 connection
- Pair once, always reliable

05 CORE



SMART HOME GATEWAY / BRIDGE

Core Matter

One home. Every ecosystem.

Zigbee devices. Matter devices. Apple HomeKit. The Matter Gateway connects them all — no friction, no switching between apps. Your home speaks one language, even when your devices don't.

Dimensions	90 × 90 × 22 mm	Power Input	5V 1A
Power Interface	USB Type-C	Wireless Protocol	Zigbee, Thread
Operating Temperature	-10°C to +55°C	Operating Humidity	10%–90% RH (non-condensing)
Storage Temperature	-20°C to +60°C	Storage Humidity	5%–90% RH (non-condensing)

PRICE (INCL. GST)

₹18,900

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Zigbee + Matter bridge gateway
- Apple HomeKit via Matter
- Up to 128 devices
- Wired Ethernet, stable connection
- One hub, every ecosystem

05 CORE



LOCAL SMART AUTOMATION GATEWAY

Convergia

Your home. Fully understood.

Convergia doesn't automate your home — it understands it. Every light, every climate system, every scene runs through a single platform that thinks locally, responds instantly, and never depends on a cloud server to keep your life running.


PRICE (INCL. GST)

₹1,14,000

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Locally hosted automation gateway
- KNX, Zigbee, Wi-Fi, Matter, LAN/IP
- No cloud dependency
- AV and IP camera integration
- Intel NUC-based hardware appliance

05 CORE



VRV/VRF TO ZIGBEE INTEGRATION GATEWAY

Core VRV

Your entire HVAC system. One tap.

Commercial-grade air conditioning, brought into your smart home. The VRV Gateway connects your VRV/VRF system to — so ev ery unit, every zone, responds to your preferences without requiring a separate app or remote.

Communication Protocol	Zigbee	AC Interface	X, Y (VRF communication port)
Additional Ports	RS485 Peripheral (×2), KNS, RS485	Power	External power adapter (do not connect 220V directly)
Compatible Brands	Daikin, Samsung, TCL, Gree, Toshiba, Panasonic, Hitachi, Hisense, York, Mitsubishi Electric, Mitsubishi Heavy Industries, AUX, LG, Trane, Midea, Carrier, Bosch, Haier, McQuay and more		


PRICE (INCL. GST)

₹72,000

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- VRV/VRF HVAC integration
- Zigbee-connected, wired to outdoor unit
- 15+ compatible AC brands
- Full zone and unit control
- No HVAC hardware modification

05 CORE



- Zigbee to DALI protocol bridge
- Up to 64 DALI nodes
- DT8 tunable white and RGBW support
- Scene, group, and schedule control
- DIN rail or panel mount

ZIGBEE TO DALI PROTOCOL GATEWAY

Core DALI

Architectural lighting. Smart precision.

DALI lighting systems were built for professional environments — precise, flexible, professional-grade. The DALI Gateway brings that precision into your smart ecosystem, giving you scene control, tunable white, and RGBW automation through t

Input Voltage	24V DC	DALI Channels	1
Built-in DALI PS Output Voltage	12–22.5V DC	Built-in DALI PS Output Current	250mA max
DALI Current Consumption (PS disabled)	Max. 2mA	Max DALI Devices	64
Supported Device Types	DT6, DT8 Tc, DT8 XY, DT8 RGBWAF	Connectivity	Ethernet (RJ45)
Control Modes	Broadcast, group, scene, timer & schedule	Built-in Battery & RTC	Yes

PRICE (INCL. GST)

₹1,38,000

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.


Lume

Lume adds Zigbee control to any LED strip or fixture. CV for colour-tunable and RGB strips, CC for constant-current tunable-white fixtures.

Lume CV RGB+ | Lume CV Dim | Lume CC-CCT



06 LUME



CONSTANT VOLTAGE LED CONTROLLER

Lume CV RGB+

Every colour. Every white. One controller.

From vibrant RGB to tunable warm-to-cool white — the CV RGB+CCT Controller gives your LED strips full range. Set the moo d for every moment, every room, automatically.


PRICE (INCL. GST)

₹4,497

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- 5-channel RGB+CCT LED controller
- Full color and tunable white
- Constant voltage 12V or 24V
- Scene and schedule automation
- Panel or concealed install

06 LUME



- Single-channel CV LED dimmer
- Smooth 0-100% brightness control
- 12V or 24V compatible
- Zigbee 3.0 native
- Panel or concealed install

CONSTANT VOLTAGE LED DIMMER CONTROLLER

Lume CV Dim

Simple. Smooth. Smart.

Clean, continuous dimming for single-color LED strips — from full brightness to a gentle glow. The CV Dimmer handles the detail so your lighting always feels exactly right.

PRICE (INCL. GST)

₹4,497

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

06 LUME



CONSTANT CURRENT LED CONTROLLER

Lume CC-CCT

Warm in the evening. Crisp in the morning.

Tunable white lighting that adjusts to the time of day — and to you. The CC-CCT Controller manages both warmth and brigh tness automatically, making every room feel right without you thinking about it.

PRICE (INCL. GST)

₹4,497

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Constant current CCT controller
- Warm white and cool white channels
- Independent brightness and color temp
- Zigbee 3.0 native
- Panel or fixture-integrated install

Reach

Reach brings IR and RF appliances into your automation system without replacing them. Connects over Wi-Fi and translates commands to IR or RF signals.

Reach IR | Reach IR+ | Reach IR Pro



07 REACH



WI-FI IR BLASTER / IR CONTROLLER

Reach IR

Every remote. One app.

Your AC, TV, and set-top box — all the devices that came with their own remotes — now respond to . No rewiring. Just poi nt, configure, and let your home handle the rest.

Power Input	5V DC 1A (Micro USB)	Connection	Wi-Fi 2.4GHz 802.11b/g/n
IR Control Distance	≤8m	Working Temperature	0°C to +50°C
Working Humidity	≤85% RH	Dimensions	68 × 68 × 19.5 mm


PRICE (INCL. GST)

₹3,150

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Wi-Fi IR blaster
- Controls AC, TV, set-top box
- Up to 8m IR range
- No rewiring required
- Line-of-sight placement

07 REACH



WI-FI IR + RF BLASTER / UNIVERSAL REMOTE CONTROLLER

Reach IR+

IR and RF. Nothing left out.

Some devices use IR. Some use RF. The IR+RF Blaster covers both — motorized curtains, fans, projectors, air conditioners , and more — unified in a single device and a single app.

Power Input	DC 5V/1A (Micro USB 2.0)	Standby Power	≤0.5W
IR Control Distance	≤8m (horizontal), ≤15m (opposite direction, environment dependent)	IR Control Direction	Multi-directional
RF Frequency	433/315 MHz	Carrier Frequency	38 kHz
Connection	Wi-Fi 2.4GHz 802.11b/g/n	Operating Temperature	0°C to +50°C
Operating Humidity	≤85% RH	Dimensions	68 × 68 × 27 mm

PRICE (INCL. GST)

₹4,050

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- Wi-Fi IR and RF blaster
- IR up to 8m, RF omnidirectional
- 433/315 MHz RF support
- Controls curtains, fans, projectors
- No rewiring required

07 REACH



WI-FI IR BLASTER WITH ENVIRONMENTAL SENSOR

Reach IR Pro

It senses. It responds. You don't have to.

When the room gets warm, the air conditioner turns on. You didn't schedule it — read the room. The IR Blaster with senso rs watches your environment and acts on it, quietly and precisely.

Power Input	DC 5V/1A (Micro USB, no adapter included)	Infrared Frequency	38 kHz
IR Control Distance	≤10m	LED Indicator	Blue
Connection	Wi-Fi 2.4GHz	Temperature Measurement Range	0°C to +60°C
Temperature Accuracy	±1°C	Humidity Measurement Range	0%–99% RH
Humidity Accuracy	±5% RH	Dimensions	65 × 65 × 17 mm

PRICE (INCL. GST)

₹5,700

Professional installation included. Backed by a 5-year warranty. Book a free consultation to get started.

- IR blaster with temp and humidity sensor
- Automation triggers from room conditions
- Analog display, real-time readings
- Wi-Fi connected
- Line-of-sight placement

WARRANTY & SUPPORT

We stand behind every install.

A smart home should keep working, quietly, for years. If anything ever goes wrong, we make it right — fast, and without the runaround.

1 **5-Year Warranty** — STANDARD

Every product is covered for 5 years against manufacturing defects under normal use. If a unit is faulty, we replace it — we don't send it away for repair.

2 **Fast Replacement** — 3 DAYS

Report an issue and a replacement is on its way within 3 business days — so your home is never left waiting.

3 **On-Site Support** — 7 DAYS

If something can't be sorted remotely, a Smartify technician visits your home within 7 days at no charge.

> *"Two years in, everything still just works. And the one time a switch acted up, they had a replacement fitted the same week."*
>
> — Homeowner, 3 BHK · Mumbai

MASTER PRICELIST

All SKUs · MRP Reference

Edition Apr 2026 — Mar 2027
All prices incl. GST.

PRODUCT	MRP
INTERFACE (TAC)	
TAC 1	₹21,900
TAC 2	₹21,900
TAC 3	₹24,300
TAC 4	₹24,300
TAC 6	₹26,400
TAC HL	₹22,500
TAC SH	₹22,200
TAC 6+	₹26,700
TAC SS	₹25,500
TAC S	₹4,500
TAC F	₹7,500
INTERFACE (TOQ)	
TOQ 4T	₹32,000
TOQ 4T+1S	₹34,500
TOQ 8T	₹38,000
TOQ 10T	₹42,000
TOQ 4T+2F	₹39,000
TOQ 8T+1S	₹41,500
TOQ 4T+2F+1S	₹43,500
TOQ 10T+3S	₹49,500
INTERFACE (TOUCHSCREEN)	
Interface 4	₹42,600
Interface 10	₹1,65,000
Interface Scene	₹10,497

PRODUCT	MRP
LAYER	
Layer Relay 1	₹4,500
Layer Relay 2	₹4,500
Layer Relay 1 HL	₹6,600
Layer Dimmer 1	₹3,900
Layer Dimmer 2	₹4,200
Layer Shutter	₹4,200
Layer Dimmer Analog	₹5,700
AWARE	
Aware Contact	₹3,900
Aware Motion	₹5,700
Aware Vibration	₹5,100
Aware Wave	₹9,297
Aware Wave Pro	₹13,050
CORE	
Core LAN	₹8,100
Core Matter	₹18,900
Convergia	₹1,14,000
Core VRV	₹72,000
Core DALI	₹1,38,000
LUME	
Lume CV RGB+	₹4,497
Lume CV Dim	₹4,497
Lume CC-CCT	₹4,497
REACH	
Reach IR	₹3,150
Reach IR+	₹4,050
Reach IR Pro	₹5,700

GET STARTED

Start the conversation.

Ready to make your home smart? Book a free consultation and we'll call you within 2 hours on business days. No pushy sales — just honest advice on what fits your home.

EMAIL
hello@smartify.in

WHATSAPP
+91-79-4912-1212

WEBSITE
smartify.in